



Timisoara : [timisoara@mondoplast.net](mailto:timisoara@mondoplast.net)

Bucuresti : [bucuresti@mondoplast.net](mailto:bucuresti@mondoplast.net)



## TP-LINK®

The Reliable Choice



### PRETURI DE DISTRIBUTIE


### DISTRIBUTION PRICES ONLY

QUOTATION		IULIE	
Model No.	Description	lista [EUR]	oferta spec [EUR]
<b>Wireless LAN</b>			
<b>2.4G/5Ghz Dual band Wireless Gigabit Router</b>			
TL-WDR4300	N750 Wireless Dual Band Gigabit Router, Atheros, Dual band 2.4G 300Mbps + 5G 450Mbps, 802.11a/b/g/n, Built-in 4-port Gigabit Switch, Wireless On/Off and WPS	71,00	
TL-WR2543ND	450Mbps Dual band Wireless N Gigabit Router, Atheros, 2.4GHz/5GHz Selectable, 802.11a/b/g/n, Built-in 4-port Gigabit Switch, 1 usb port, with 3 detachable antennas	63,00	<b>57,00</b>
<b>2.4G/5Ghz Dual band Wireless Adapter</b>			
TL-WDN4800	450Mbps wireless N Dual Band PCI Express Adapter, Atheros, 3T3R, 2.4GHz/5GHz, compatible with 802.11a/b/g/n, with 3 detachable antennas	29,50	
<b>Wireless Gigabit Router</b>			
TL-WR1043ND	300Mbps Ultimate wireless N Gigabit Router, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Built-in 4-port Gigabit Switch, 1 usb port, with 3 detachable antennas	38,90	38,90
TL-WR1042ND	300Mbps Wireless N Gigabit Router, Realtek, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Gigabit Switch, 1 usb port, Wireless On/Off button, with 2 detachable antennas	35,20	
<b>Wireless Router</b>			
TL-WR940N	300Mbps Advanced wireless N Router, Atheros, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 3 fixed antennas	24,40	<b>24,40</b>
TL-WR941ND	300Mbps Advanced wireless N Router, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 3 detachable antennas	29,90	29,50
TL-WR841N	300Mbps Wireless N Router, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 2 fixed antennas	20,90	<b>19,60</b>
TL-WR841ND	300Mbps wireless N Router, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, with 2 detachable antennas	21,90	
TL-WR842ND	300Mbps multi-function wireless N Router, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Built-in 4-port Switch, 1 USB port, with 2 detachable antennas	25,30	<b>25,30</b> <b>NEW</b>
TL-WR740N	150Mbps Wireless N Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, SPI firewall, autorun utility, fixed antenna	14,50	<b>13,95</b>

TL-WR741ND	150Mbps Wireless N Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, <b>integrated SPI firewall and access control, detachable</b>	15,90	<b>15,20</b>
TL-WR720N	150Mbps Wireless N Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, 2 LAN ports, SPI firewall, autorun utility. Internal antenna	12,95	
TL-WR340G	54Mbps Wireless G Router, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, fixed Antenna	13,30	
TL-WR340GD	54Mbps Wireless G Router, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch, detachable Antenna	13,30	
<b>Mini Pocket Wireless Router</b>			
TL-WR702N	150Mbps Wireless N Mini Pocket AP Router, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 Ethernet Port, 1 Micro USB port, Internal Antenna, Outside AC adapter	19,90	
<b>Wireless AP Client Router(WISP CPE)</b>			
TL-WR743ND	150Mbps Wireless N AP/Client Router, Atheros, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, Passive PoE Supported, Supports WISP, <b>integrated SPI firewall and access control, detachable</b>	17,80	<b>16,90</b>
TL-WR543G	54Mbps Wireless G AP/Client Router with eXtended Range™, Atheros, 2.4GHz, 802.11g/b, Built-in 4-port Switch supports WISP with detachable Antenna	16,90	<b>15,90</b>
<b>Wireless Access Point</b>			
TL-WA901ND	300Mbps Advanced Wireless N Access Point, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 3 4dbi detachable	29,90	<b>29,50</b>
TL-WA801ND	300Mbps Wireless N Access Point, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 2 4dbi detachable Antenna	24,00	
TL-WA701ND	150Mbps Wireless N Access Point, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, Passive PoE Supported, QSS Push Button, AP/Client/Bridge/Repeater, Multi-SSID, WMM, Ping Watchdog, with 1 4dbi detachable Antenna	19,90	
TL-WA500G	54Mbps Wireless G Access Point with eXtended Range™, Atheros, 2.4GHz, 802.11g/b, AP/AP Client/ Repeater/Bridge/Multi-Bridge, WDS, Site Survey, passive PoE, with detachable Antenna	17,90	<b>16,70</b>
<b>Wireless Range Extender</b>			
TL-WA830RE	300Mbps Wireless N Range Extender, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, Ranger Extender button, AP & Range extender mode, autorun utility, with 2 4dbi	27,90	
TL-WA730RE	150Mbps Wireless N Range Extender, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, auto-extender button, AP & Range extender mode, autorun utility, with 1 4dbi detachable	18,70	<b>17,40</b>
<b>Wireless USB Adapter</b>			
TL-WN821N	300Mbps Wireless N USB Adapter, Atheros, 2T2R, 2.4Ghz, 802.11n/g/b	9,20	<b>8,80</b>
TL-WN821NC	300Mbps Wireless N USB Adapter with Cradle, Atheros, 2T2R, 2.4Ghz, 802.11n/g/b, 1 elegant USB Cradle	10,20	<b>9,70</b>

TL-WN823N	300Mbps Mini wireless N USB Adapter, Mini Size, Realtek, 2T2R, 2.4Ghz, 802.11b/g/n, QSS button, autorun utility	8,80	
TL-WN721N	150Mbps Wireless N USB Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, support PSP X-Link	6,50	<b>5,90</b>
TL-WN727N	150Mbps Wireless N USB Adapter, Ralink, 1T1R, 2.4GHz, 802.11n/g/b, Supports Sony PSP	6,90	
TL-WN723N	150Mbps Wireless N USB Adapter, Mini Size, Realtek, 1T1R, 2.4GHz, 802.11n/g/b, QSS button, autorun utility, dimension: 36.8*17*8.4mm	6,50	
TL-WN725N	150Mbps wireless N Nano USB Adapter, Nano Size, Realtek, 2.4GHz, 802.11n/g/b, QSS button, autorun utility	7,90	
<b>Wireless USB Adapter (High Gain) - antena externa detasabila</b>			
TL-WN822N	300Mbps High Gain Wireless N USB Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, QSS button, autorun utility, elegant desktop housing, USB extension cable, 2 fixed	14,30	
TL-WN722N	150Mbps High Gain Wireless N USB Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna	7,60	<b>7,20</b>
TL-WN722NC	150Mbps High Gain Wireless N USB Adapter with Cradle, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna, 1 elegant USB Cradle	9,00	<b>8,80</b>
TL-WN422G	54Mbps High Gain Wireless G USB Adapter, Atheros, 2.4GHz, 802.11g/b, 4dBi detachable antenna	7,50	
<b>TL-WN422GC</b>	54Mbps High Gain Wireless G USB Adapter, Atheros, 2.4GHz, 802.11g/b, 4dBi <b>detachable antenna</b> , 1 elegant	7,50	
<b>Wireless PCI Adapter, 2.4 Ghz</b>			
TL-WN951N	300Mbps Advanced wireless N PCI Adapter, Atheros, 3T3R, 2.4GHz, 802.11n/g/b, with <b>3 detachable</b>	17,50	
TL-WN851ND	300Mbps Wireless N PCI Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, with 2 detachable antennas	14,20	<b>13,70</b>
TL-WN751ND	150Mbps Wireless N PCI Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna	11,30	
<b>TL-WN550G</b>	<b>Extended range</b> , 54Mbps Wireless G PCI Adapter, Atheros, 2.4GHz, 802.11g/b, fixed antenna	8,00	<b>6,00</b>
TL-WN350G	54Mbps Wireless G PCI Adapter, Atheros, 2.4GHz, 802.11g/b, fixed antenna	6,60	<b>6,20</b>
TL-WN350GD	54Mbps Wireless G PCI Adapter, Atheros, 2.4GHz, 802.11g/b, detachable antenna	7,40	<b>6,70</b>
<b>Wireless PCI Adapter bi-banda 2.4Ghz &amp; 5 Ghz</b>			
<b>TL-WN553AG</b>	Adaptor wireless PCI <b>Dual Band</b> , 2.4G/5GHz, 54Mbps eXtended, RangeTM, Atheros, 802.11a/b/g, antena detasabila	14,00	<b>13,50</b>
<b>TL-WN653AG</b>	Adaptor wireless PCI, <b>Super G</b> , <b>Dual Band</b> , 2.4G/5GHz, 54Mbps eXtended, RangeTM, Atheros, 802.11a/b/g, antena detasabila	19,00	<b>17,90</b>




<b>Wireless PCI Express Adapter</b>			
TL-WN881ND	300Mbps Wireless N PCI Express Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b, 2 detachable antennas	14,00	<b>13,50</b> 
TL-WN781ND	150Mbps Wireless N PCI Express Adapter, Atheros, 1T1R, 2.4GHz, 802.11n/g/b, 1 detachable antenna	9,00	<b>7,70</b>
<b>Wireless mini-PCI/Card Bus Adapter</b>			
TL-WN861N	300Mbps Wireless N Mini-PCI Adapter, Atheros, 2T2R, 2.4GHz, 802.11n/g/b	12,90	<b>10,50</b>
TL-WN310G	54Mbps Wireless G <b>CardBus Adapter</b> , Atheros, 2.4GHz, 802.11g/b	8,80	<b>7,90</b>
TL-WN562AG	Dual Band - 54Mbps Wireless <b>mini PCI</b> Adapter with eXtended Range™, <b>2.4G/ 5GHz</b> , <b>802.11 a/b/g</b> , with two Ultra-Mini SMT-GSC Antenna connectors	14,00	<b>12,65</b>
<b>USB Cradle</b>			
UC100	USB cradle, USB2.0 port, 1.5meters cable, USB cap holder, works with Wireless USB Adapter, 802.11a/b/g, with two Ultra-Mini SMT-GSC Antenna connectors	2,15	<b>1,95</b>
<b>Outdoor / High Power Wireless</b>			
<b>Outdoor High Power Wireless Access Point</b>			
TL-WA7510N	Outdoor 5GHz 150Mbps High power Wireless Access Point, WISP Client Router, up to 27dBm, Atheros, 5Ghz 802.11a/n, High Sensitivity, Integrated 15dBi directional antenna, Weather proof, Passive PoE	45,00	
TL-WA5210G	Outdoor 2.4Ghz 54Mbps High Power Wireless Access Point, WISP Client Router, up to 27dBm, Atheros, 2.4GHz 802.11g/b, High Sensitivity, Integrated 12dBi directional antenna, Weather proof, Passive PoE	34,00	<b>33,50</b>
<b>High Power Wireless Access Point</b>			
TL-WA5110G	Indoor 54Mbps High Power Wireless Access Point, 26dBm (400mw), Atheros, 2.4GHz 802.11g/b, 1 10/100 LAN, 1 detachable 4dBi antenna, passive PoE, WISP Client Router/AP/AP Client/ Repeater/Bridge	22,90	<b>21,50</b>
<b>High Power Wireless Adapter</b>			
TL-WN7200ND	150Mbps High Power Wireless USB Adapter, Ralink, 1T1R, 2.4GHz, 802.11n/g/b, High power up to 500mw, High receive sensitivity, QSS button, SoftAP, 1 5dBi detachable antenna, Compatible with 54Mbps Wireless	10,90	
<b>Wireless Antenna &amp; Accessories</b>			
<b>Wireless Antennas</b>			
TL-ANT2403N	2.4GHz 3dBi Desktop 3-Antenna, Lotus Style, 1m cable, RP-SMA connector, support 11n 2T3R / 3T3R	11,00	

TL-ANT2405CL	2.4GHz 5dBi Indoor Omni-directional Antenna, RP-SMA connector, L Type, w/o cradle, w/o cable	2,35	
TL-ANT2408CL	2.4GHz 8dBi Indoor Omni-directional Antenna, RP-SMA connector, L Type, w/o cradle, w/o cable	3,90	3,30
TL-ANT2405C	2.4GHz 5dBi Indoor Omni-directional Antenna, 1.3m Cable, RP-SMA connector	3,80	
TL-ANT2408C	2.4GHz 8dBi Indoor Omni-directional Desktop Antenna, 1.3m Cable, RP-SMA connector	7,90	
TL-ANT2406A	2.4GHz 6dBi Indoor Desktop Directional Antenna, 1.3m Cable, RP-SMA connector	9,90	
TL-ANT2409A	2.4GHz 9dBi Outdoor Directional Panel Antenna, 1m Cable, RP-SMA connector	12,50	11,90
TL-ANT2409B	2.4GHz 9dBi Outdoor Directional Panel Antenna, 1m Cable, N-type connector	12,50	
TL-ANT2414A	2.4GHz 14dBi Outdoor Directional Panel Antenna, 1m Cable, SMA connector	33,00	
TL-ANT2414B	2.4GHz 14dBi Outdoor Directional Panel Antenna, 1m Cable, N-type connector	33,00	
TL-ANT2412D	2.4GHz 12dBi Outdoor Omni-directional Antenna, N-type connector	21,90	
TL-ANT2415D	2.4GHz 15dBi Outdoor Omni-directional Antenna, N-type connector	27,50	
TL-ANT2424B	2.4GHz 24dBi Outdoor Grid Antenna, N-type connector	29,40	26,90
<b>Wireless Accessories</b>			
TL-ANT24EC3S	Low-loss Antenna Extension Cable, 2.4GHz, 3 meters Cable length, RP-SMA Male to Female connector	5,40	
TL-ANT24EC5S	Low-loss Antenna Extension Cable, 2.4GHz, 5 meters Cable length, RP-SMA Male to Female connector	6,90	
TL-ANT24EC6N	Low-loss Antenna Extension Cable, 2.4GHz, 6 meters KMS-400 Cable length, N-type Male to Female	16,00	
TL-ANT24EC12N	Low-loss Antenna Extension Cable, 2.4GHz, 12 meters KMS-400 Cable length, N-type Male to Female	22,00	
TL-ANT24PT	Pigtail Cable, 2.4GHz, 50cm Cable length, N-type Male to RP-SMA Male connector	2,95	
TL-ANT24PT3	Pigtail Cable, 2.4GHz, 3 meters Cable length, N-type Male to RP-SMA Male connector	5,50	
TL-ANT24SP	Surge Protector, 2.4GHz, N-type Male to Female connector	9,50	
<b>3G</b>			
<b>3G Wireless Router</b>			
TL-MR3420	300Mbps 3G Wireless N Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2T2R, 2.4GHz, 802.11n/g/b, 2 detachable antennas	23,50	22,50
TL-MR3220	150Mbps 3G Wireless N Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2.4GHz, 802.11n/g/b, 1 detachable antenna	22,00	19,50
<b>Mini Pocket 3G Wireless Router</b>			
TL-MR3020	150Mbps Portable 3G Wireless N Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2.4GHz, 802.11n/g/b, Powered by power adapter or USB host, Internal antenna	22,50	
<b>ADSL</b>			




<b>ADSL2+ Modem</b>		
TD-8616	1 ethernet port ADSL2+ modem with bridge mode, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL	8,50
TD-8610	1 ethernet port ADSL2+ modem with bridge mode, Broadcom, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter	8,50
<b>ADSL2+ Router</b>		
TD-8810	Router ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter	9,00
TD-8811	Router ADSL/ ADSL2+, Annex A, 1 Ethernet, 1USB, ADSL splitter	9,00
TD-8816	Router ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter	9,00
TD-8817	1 ethernet port and 1 USB port ADSL2+ router with bridge and NAT router, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter	9,00
TD-8840	<b>4 ethernet ports</b> ADSL2+ router with bridge and NAT router, Trendchip, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, Built-in 4-port Switch	10,50

<b>Wireless ADSL2+ Router</b>		
TD-W8101G	1-port 54Mbps Wireless ADSL2+ Modem router, Trendchip + Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2.4GHz, 802.11g/b, 1 fixed Antenna	17,50
TD-W8151N	1-port 150Mbps Wireless N ADSL2+ Modem Router, Trendchip+Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 1 fixed antenna	18,00
TD-W8901G	4-port 54Mbps Wireless ADSL2+ Modem router, Trendchip + Ralink, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2.4GHz, 802.11g/b, 1 detachable	18,50
TD-W8950ND	4-port 150Mbps Wireless N ADSL2+ Modem Router, Broadcom+Atheros chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, compatible with 802.11n/g/b, 1 detachable antenna	19,00
TD-W8951ND	4-port 150Mbps Wireless N ADSL2+ Modem Router, Trendchip+Ralink chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 1 detachable antenna	19,00
TD-W8960N	4-port 300Mbps Wireless N ADSL2+ Modem Router, Broadcom chipset, 2.4GHz, 802.11n/g/b, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 2 detachable Antennas	19,00
TD-W8961ND	4-port 300Mbps Wireless N ADSL2+ Modem Router, Trendchip+Ralink chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 802.11n/g/b, 2 detachable	24,00
<b>Powerline Communication</b>		
<b>Powerline Ethernet Adapter</b>		
TL-PA210	200Mbps Powerline Ethernet Adapter, Mini Size, HomePlug AV, Single Pack	18,50
TL-PA210 Starter Kit	200Mbps Powerline Ethernet Adapter Kit, Mini Size, HomePlug AV, Twin Pack	35,00
TL-PA211	200Mbps Multi-Streaming Powerline Ethernet Adapter, Mini Size, HomePlug AV, Single Pack, Support Multiple IPTV Streams	19,50
TL-PA211 Starter Kit	200Mbps Multi-Streaming Powerline Ethernet Adapter Kit, Mini Size, HomePlug AV, Twin Pack, Support Multiple IPTV Streams	36,00
TL-PA250	200Mbps Powerline Adapter with AC Passthrough, HomePlug AV, Plug and Play, Single Pack	27,50
TL-PA251	200Mbps Multistreaming Powerline Ethernet Adapter, AC Pass-through, HomePlug AV, Single Pack, Support Multiple IPTV Streams	29,00
TL-PA411	AV500 Mini Powerline Adapter, 500Mbps powerline datarate, 100Mbps Ethernet Speed, HPAV/IEEE 1901 compliant, Green Powerline, HD Video Streaming, Plug and Play, Single Pack	25,40
TL-PA511	500Mbps Gigabit Powerline Adapter, Homeplug AV, Multistreaming, 500Mbps powerline datarate, Gigabit Ethernet, Single Pack	34,00

TL-PA511 Starter Kit	500Mbps Gigabit Powerline Adapter Starter Kit, Homeplug AV, Multistreaming, 500Mbps powerline datarate, Gigabit Ethernet, Twin Pack	66,50	<b>63,00</b> 
<b>Wireless Powerline Extender</b>			
TL-WPA271	150Mbps Wireless N AV200 Powerline Extender, 200Mbps Powerline datarate, 150Mbps Wireless Extension, 100Mbps Ethernet Speed, QoS Support, WPS Button Support, Support Multiple IPTV Streams.	34,00	
TL-WPA271 Starter Kit	150Mbps Wireless N AV200 Powerline Extender Starter Kit, Includes TL-WPA271 and TL-PA211, 200Mbps Powerline datarate, 150Mbps Wireless Extension, 100Mbps Ethernet Speed, QoS Support, WPS Button Support, Support Multiple IPTV Streams	53,00	
TL-WPA281	300Mbps Wireless N Powerline Extender, 200Mbps Powerline datarate, Plug and Play, QoS, Support Multiple IPTV Streams, Single Pack	41,00	
TL-WPA281 Starter Kit	300Mbps Wireless N Powerline Extender Starter Kit, including 1 TL-WPA281 and 1 TL-PA211, 200Mbps Powerline datarate, Plug and Play, QoS, Support	59,00	
<b>Surveillance Camera</b>			
TL-SC3130	2-way audio surveillance camera, CMOS sensor, 640x480 resolution (0.3 Megapixel), MPEG4&MJPEG, Motion detection, 30fps Frame rate, 16-channel software	49,00	
TL-SC3130G	54Mbps Wireless 2-way audio surveillance camera, 2.4GHz, 802.11g/b, CMOS sensor, 640x480 resolution (0.3 Megapixel), MPEG4&MJPEG, Mobile View, Motion detection, 30fps Frame rate, 16-channel software	63,00	
TL-SC3430	HD-Megapixel Surveillance Camera, Advanced 1.3 Megapixel CMOS sensor, H.264/MPEG-4/MJPEG, 2-way audio, 3G View, 16-channel software	81,90	<b>76,50</b>
TL-SC3171	Day/Night Surveillance Camera, 10 meters night vision, Industrial ICR (IR-Cut filter) mechanism, 640x480 resolution, CMOS sensor, Mobile View, Motion Detecion, 30fps Frame rate, 16-channel software	83,80	<b>79,90</b>
TL-SC3171G	54Mbps Wireless Day/Night Surveillance Camera, 10 meters night vision, 640x480 resolution, CMOS sensor, Industrial ICR (IR-Cut filter) mechanism, Mobile View, Motion Detecion, 30fps Frame rate, 16-channel software	98,00	
TL-SC4171G	Pan/Tilt Surveillance Camera, 54Mbps Wireless, 354 degree Pan, 125 degree Tilt, Day/night, 10-meter night vision, 0.3 Megapixel CMOS sensor, MPEG-4/MJPEG, 3G View, 16-channel software	163,00	
<b>Print Server</b>			
TL-PS110P	Single parallel port fast ethernet Print Server, supports E-mail Alert, Internet Printing Protocol (IPP) SMB and POST (Power On Self Test), print job log	25,00	
TL-PS110U	Single USB2.0 port fast ethernet Print Server, supports E-mail Alert, Internet Printing Protocol (IPP) SMB and POST (Power On Self Test), print job log	24,00	



TL-PS310U	Single USB2.0 port MFP Print and Storage server, compatible with most of MFP( Multi-function printer) and USB storage devices, supports 4-port USB hub extension, supports POST (Power On Self Test) and	26,90	
TL-WPS510U	Wireless Print Server, single USB2.0 port, Atheros wireless, 2.4GHz, 802.11g/b, with detachable antenna	38,50	
<b>Router</b>			
<b>SOHO Broadband Router</b>			
TL-R402M	1 WAN port + 4 LAN ports, Cable/DSL Router for Home, Dial-on-demand, Firewall, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP	8,80	
TL-R460	1 WAN port + 4 LAN ports, Cable/DSL Router for Home and Small Office, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, <b>IP QoS</b> , supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable	10,50	
TL-R860	1 WAN port + 8 LAN ports, Cable/DSL Router for Small Office, Dial-on-demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through, supports PPPoE, Dynamic IP, Static IP, L2TP, PPTP, BigPond Cable Internet Access	17,00	<b>13,90</b>
<b>Multi-Wan Router</b>			
TL-R470T+	5-port Multi-Wan Router for Small Office and Net Cafe, Configurable Ports up to 4 Wan ports, Load Balance, Advanced firewall, Port Bandwidth Control, Port Mirror, DDNS, UPnP, VPN pass-through	35,50	<b>30,00</b>
TL-R480T+	5-port Multi-Wan Router for Small and Medium Business, Configurable WAN/LAN Ports up to 4 Wan ports, 400MHz Networks Processor, Load Balance, Advanced firewall, Port Bandwidth Control, Port Mirror, DDNS, UPnP, VPN pass-through	63,00	
<b>TL-R488T</b>	<b>4 WAN ports + 1 LAN port Router for Medium Business, 533MHz Intel IXP Network Processor,</b>	180,00	<b>150,00</b>
<b>TL-R4000</b>	<b>1 WAN ports + 4 LAN port Router for Medium Business, 533MHz Intel IXP Network Processor,</b>		
TL-ER5120	5-port Gigabit Multi-WAN Load Balance Router for Small and Medium Business, including 3 Configurable WAN/LAN Ports, 1 Hardware DMZ port, support maximal 4 WAN ports, Load Balance, Advanced Firewall, Bandwidth Control, Session Limit, PPPoE Server, IM/P2P blocking, Port Mirror, DDNS, UPnP, Port VLAN.	132,00	
<b>VPN Router</b>			
TL-R600VPN	SafeStream™ Gigabit Broadband VPN Router, 1 Gigabit WAN port + 4 Gigabit LAN ports, 20 IPsec VPN Tunnels, 16 PPTP VPN tunnels and 16 L2TP VPN tunnels , Dial-on-demand, SPI Firewall, ,IP&MAC Binding, Bandwidth Control, Parental control, DDNS,	48,00	<b>NEW</b>

TL-ER6120	SafeStream™ Gigabit Dual-WAN VPN Router, 2 Gigabit WAN ports+2 Gigabit LAN ports+1 Gigabit LAN/DMZ port, up to 100 IPsec VPN Tunnels, 32 PPTP VPN tunnels and 32 L2TP VPN tunnels, Intelligent Load Balance, Link Backup, IM/P2P Application Blocking, Guarantee & Limited Bandwidth, URL/Keywords Filtering, Static Routing, RIP v1/v2, DoS/DDoS Defense.	155,00	<b>150,00</b> 
-----------	--	--------	--

<b>Switch</b>			
<b>L2 Management Switch</b>			
TL-SG5428	JetStream™ 24-port Pure-Gigabit L2 Managed Switch, 24 10/100/1000Mbps RJ45 ports including 4 Gigabit SFP slots, 128 Static Routing rules, Port/Tag/Voice/MAC/Protocol-Based VLAN, Q-in-Q(Double VLAN), GVRP, MVR, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, COS, DSCP, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, IP Clustering, Port Mirroring, IP Source Guard, SSL, SSH, CLI, SNMP, RMON	225,00	
TL-SL5428E	JetStream™ 24+4G Gigabit-Uplink Managed Switch, 24 10/100Mbps RJ45 ports, 4 Gigabit RJ45 ports with 2 combo SFP slots, Port/Tag/Voice/MAC/Protocol-Based VLAN, Q-in-Q(Double VLAN), GVRP, MVR, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, COS, DSCP, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL (240 entries), IP Clustering, Port Mirroring, IP	147,00	
<b>L2 Lite Management Switch</b>			
TL-SG3210	JetStream™ 10-port Pure-Gigabit L2 Managed Switch, 8 10/100/1000Mbps RJ45 ports including 2 Gigabit SFP slots, Port/Tag/MAC/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, Port Isolation, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/ Priority Management, Voice VLAN, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, Port Mirroring, SSL, SSH, CLI	87,90	<b>82,00</b>
TL-SG3216	JetStream™ 16-port Pure-Gigabit L2 Managed Switch, 16 10/100/1000Mbps RJ45 ports including 2 combo SFP slots, Port/Tag/MAC/Voice/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/ Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, Port Mirroring, SSL, SSH, CLI, SNMP, RMON	167,40	<b>145,00</b>
TL-SG3424	JetStream™ 24-port Pure-Gigabit L2 Managed Switch, 24 10/100/1000Mbps RJ45 ports including 4 combo SFP slots, Port/Tag/MAC/Voice/Protocol-based VLAN, GVRP, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, L2/L3/L4 Traffic Classification/ Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, Port Mirroring, SSL, SSH, CLI, SNMP, RMON	209,00	<b>185,00</b>
TL-SL3428	24+4G Gigabit-Uplink Managed Switch, 24 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port Mirror/Trunking, Port/Tag-based VLAN, Spanning Tree, 802.1X, IGMP Snooping, Console, Telnet, Web-based	116,00	
TL-SL3452	48+4G Gigabit-Uplink Managed Switch, 48 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port	170,00	
<b>Web Smart Switch</b>			
TL-SG2109WEB	9-port Pure-Gigabit Web Smart Switch, 8 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based	61,00	<b>57,00</b>

TL-SL2210WEB	8+2G Gigabit-Uplink Web Smart Switch, 8 10/100M RJ45 ports, 1 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	39,95	<b>36,50</b>
TL-SL2218WEB	16+2G Gigabit-Uplink Web Smart Switch, 16 10/100M RJ45 ports, 1 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	55,00	<b>49,00</b>
TL-SL2428WEB	24+4G Gigabit-Uplink Web Smart Switch, 24 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	87,00	<b>82,00</b>
TL-SL2452WEB	48+4G Gigabit-Uplink Web Smart Switch, 48 10/100M RJ45 ports, 2 10/100/1000M RJ45 ports, 2 SFP expansion slots supporting MiniGBIC modules, Port/Tag-based VLAN, MAC address Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	126,00	<b>119,00</b>
<b>Unmanaged Pure-Gigabit Switch</b>			
TL-SG1005D	5-port Desktop Gigabit Switch, 5 10/100/1000M RJ45 ports, plastic case	14,20	<b>13,50</b>
TL-SG1008D	8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, plastic case	21,20	<b>19,90</b>
TL-SG1016D	16-port Gigabit Desktop/Rackmount Switch, 16 10/100/1000M RJ45 ports, 13-inch steel case	63,00	<b>51,00</b>
TL-SG1024D	24-port Gigabit Desktop/Rackmount Switch, 24 10/100/1000M RJ45 ports, 13-inch steel case	83,00	<b>74,00</b>
TL-SG1008	8-port Gigabit Switch, 8 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case	31,50	<b>28,00</b>
TL-SG1016	16-port Gigabit Switch, 16 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	63,50	<b>53,00</b>
TL-SG1024	24-port Gigabit Switch, 24 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	81,00	<b>72,00</b>
TL-SG1048	48-port Gigabit Switch, 48 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	388,00	<b>360,00</b>
<b>Unmanaged Gigabit-Uplink Switch</b>			
TL-SL1109	Switch 8-port+1-port Gigabit Uplink	19,00	
TL-SL1210	8+2G Gigabit-Uplink Switch, 8 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case	23,50	
TL-SL1117	16+1G Gigabit-Uplink Switch, 16 10/100M RJ45 ports, 1 Fixed 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	30,50	<b>29,90</b>
TL-SL1226	24+2G Gigabit-Uplink Switch, 24 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	47,50	<b>44,90</b>

TL-SL1351	48+3G Gigabit-Uplink Switch, 48 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1 SFP expansion slots supporting MiniGBIC modules, 1U 19-inch rack-mountable steel case	107,80	
<b>Unmanaged 10/100M Switch</b>			
TL-SF1005D	5-port 10/100M mini Desktop Switch, 5 10/100M RJ45 ports, Plastic case	6,05	
TL-SF1008D	8-port 10/100M mini Desktop Switch, 8 10/100M RJ45 ports, Plastic case	6,40	
TL-SF1016D	16-port 10/100M Desktop Switch, 16 10/100M RJ45 ports, Plastic case	16,00	
TL-SF1016DS	16-port 10/100M Switch, 16 10/100M RJ45 ports, 13-inch steel case	23,50	<b>22,50</b>
TL-SF1024D	24-port 10/100M Switch, 24 10/100M RJ45 ports, 13-inch steel case	31,00	<b>29,90</b>
TL-SF1016	16-port 10/100M Switch, 16 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case	26,00	
TL-SF1024	24-port 10/100M Switch, 24 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case	32,00	<b>31,00</b>
TL-SF1048	48-port 10/100M Switch, 48 10/100M RJ45 ports, 1U 19-inch rack-mountable steel case	69,00	
<b>Fiber Converter</b>			
<b>SFP Fiber Module (MiniGBIC)</b>			
TL-SM311LM	Gigabit SFP module, Multi-mode, MiniGBIC, LC interface, Up to 550/275m distance	23,00	
TL-SM311LS	Gigabit SFP module, Single-mode, MiniGBIC, LC interface, Up to 10km distance	29,50	
TL-SM321A	1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1550nm/RX:1310nm, single-mode, 10km	66,50	
TL-SM321B	1000Base-BX WDM Bi-Directional SFP Module, LC connector, TX:1310nm/RX:1550nm, single-mode, 10km	29,50	



<b>Fiber Converter</b>			
MC200CM	1000Mbps RJ45 to 1000Mbps multi-mode SC fiber Converter, Full-duplex, up to 550m, switching power adapter, chassis mountable	38,50	<b>34,50</b>
MC210CS	1000Mbps RJ45 to 1000Mbps single-mode SC fiber Converter, Full-duplex, up to 15Km, switching power adapter, chassis mountable	39,50	<b>34,50</b>
MC220L	1000Mbps RJ45 to 1000Mbps SFP slot supporting MiniGBIC modules, switching power adapter, chassis mountable	14,00	
MC100CM	10/100Mbps RJ45 to 100Mbps multi-mode SC fiber Converter, Full-duplex, up to 2Km, switching power adapter, chassis mountable	22,90	
MC110CS	10/100Mbps RJ45 to 100Mbps single-mode SC fiber Converter, Full-duplex, up to 20Km, switching power adapter, chassis mountable	23,70	
<b>WDM Bi-Directional Fiber Converter</b>			
MC111CS	10/100Mbps RJ45 to 100Mbps single-mode SC fiber Converter, Full-duplex, Tx:1550nm, Rx:1310nm, up to 20Km, switching power adapter, chassis mountable	29,00	<b>27,00</b>
MC112CS	10/100Mbps RJ45 to 100Mbps single-mode SC fiber Converter, Full-duplex, Tx:1310nm, Rx:1550nm, up to 20Km, switching power adapter, chassis mountable	27,90	<b>26,00</b>
<b>Fiber Converter Chassis</b>			
TL-MC1400	14-slot unmanaged media converter chassis, 19-inch rack-mountable, supports redundant power supply, with one AC power supply preinstalled.	109,00	
<b>PoE (Power Over Ethernet)</b>			
TL-SG3424P	JetStream 24-Port Gigabit L2 Managed PoE+ Switch. 24 10/100/1000Mbps RJ45 ports support 802.3at/af PoE compliant with a total power supply of 320W. Including 4 combo 1000Mbps SFP slots. Supports Port/Tag/MAC/Protocol-based VLAN, Port Isolation, STP/RSTP/MSTP, IGMP Snooping V1/V2, 802.1p QoS, Rate Limiting, Port Mirroring, LACP, 802.1x, L2/3/4 ACL, SSI, SSH, CLI, SNMP, RMON	322,00	
TL-SF1008P	8-port 10/100M PoE Switch, 8 10/100M RJ45 ports including 4 PoE ports, steel case	41,50	
TL-PoE150S	PoE Injector Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, plastic case, pocket size, plug and play	11,80	
TL-PoE10R	PoE Splitter Adapter, IEEE 802.3af compliant, Data and power carried over the same cable up to 100 meters, 5V/9V/12V power output, plastic case, pocket size, plug and play	9,10	<b>8,00</b>
TL-PoE200	Power over Ethernet Adapter Kit, 1 Injector and 1 Splitter included, 100 meters PoE extension, 12/9/5VDC output, Plug and Play	15,40	<b>13,50</b>
<b>Network Adapter</b>			

<b>Gigabit Network Interface Card</b>		
TG-3468	32-bit Gigabit PCIe Network Adapter, Realtek RTL8168B, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDIX	5,95
TG-3269	32bit Gigabit PCI Network Adapter, RealTek RTL8169SC, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDX	5,12
<b>10/100M Network Interface Card</b>		
TF-3239DL	10/100M PCI Network Interface Card, Realtek RTL8139D chip, RJ45 port, driver CD, retail package, without Bootrom socket	2,68
TF-3200	10/100M PCI Network Interface Card, IC Plus IP100A chip, RJ45 port, driver CD, retail package, without	2,68
<b>56K Modem</b>		
TM-IP5600	56Kbps internal data/fax modem, Motorola, PCI interface	4,50