



LAN DEVICES

Model No.	Description	manufacture	EURO
Routere Ethernet si Wireless			
TL-R402	Broadband router& 4-port switch, built-in PPTP/IP Sec/L2TP VPN Pass Through, PPPoE client, DoS, DHCP server, NAPT/ MAC Filter., Port Filter./ Virtual DMZ hosting, Administ. Over Internet, auto MDIX	TP-Link	10.50
TL-R460	1WAN+4 port LAN ports, Cable/DSL Router for Home SOHO applications, Dial-on-Demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through	TP-Link	12.00
TL-R860	1WAN+8 port LAN ports, Cable/DSL Router for Home SOHO applications, Dial-on-Demand, Advanced firewall, Parental control, DDNS, UPnP, 802.1X, DHCP, DMZ host, VPN pass-through	TP-Link	16.00
TL-R480T	Advanced router – 1xWAN + 4xLAN – Intel processor, adv. Firewall, bandwidth management, VPN pass-through, etc	TP-Link	57.00
TL-R480T+	Advanced router - 2xWAN + 3LAN - Intel processor, advanced Firewall, bandwith management, load balancing/back-up, VPN pass-through	TP-Link	80.00
TL-R4299G	2 WAN port + 8 LAN ports Router, 533Mhz Intel IXP Network Processor, Advanced firewall, Port Bandwidth Control, Port-based VLAN, mirroring, HTTPS Configuration, WAN Load Balancing	TP-Link	177.00
TL-R488T	4 WAN ports + 1 LAN port Router for Medium Business, 533MHz Intel IXP Network Processor, Load Balance, Advanced firewall, Port Bandwidth Control, Port Mirror, Port-based VLAN, DDNS, UPnP, VPN pass-through	TP-Link	180.00
TL-WR340G	54M Wireless Router, Atheros,2.4GHz, 802.11g/b, Built-in 4-port Switch, fixed antenna	TP-Link	15.85
TL-WR340GD	54M Wireless Router, Atheros,2.4GHz, 802.11g/b, Built-in 4-port Switch, detachable antenna	TP-Link	18.00
TL-WR541G	54Mb Wireless router with Extended Range, 4 port inbuilt switch, fixed antenna	TP-Link	16.30
TL-WR543G	54Mb Wireless router/AP/ client with Extended Range, 4 port inbuilt switch, WISP, L2TP, port based QoS, detachable antenna	TP-Link	22.00
TL-WR542G	54Mb Wireless router (1XWAN+4xLAN), conector Extern SMA, MAC/IP/Domain filtering, firewall, BANDWIDTH management, etc.	TP-Link	19.00
TL-WR741ND	150M Wireless Lite-N Router, Atheros 1T1R, 802.11n compatibile with 802.11g/b ,detachable antenna	TP-Link	23.40
TL-WR740N	150Mbps Wireless Lite N Router, Atheros chipset, 1T1R, 2.4GHz, compatible with 802.11n/g/b, Built-in 4-port Switch, SPI firewall, autorun utility, fixed antenna	TP-Link	22.00
TL-WR841ND	Wireless N Router (300Mb), Atheros, 2.4GHz, 802.11n,802.11g/b, Built-in 4-port Switch, with 2 detachable antennas	TP-Link	27.00
TL-WR941ND	Advanced wireless N Router(300Mb), Atheros, 3T3R, 2.4GHz, 802.11n, 802.11g/b, Built-in 4-port Switch, with 3 detachable antennas	TP-Link	36.00
TL-WR940N	Advanced wireless N Router(300Mb), Atheros, 2.4Ghz, 802.11n/g/b, Built-in 4-port Switch, with 3 fixed antennas	TP-Link	33.40
TL-WR1043ND	Ultimate wireless N Gigabit Router, Atheros, 3T3R, 2.4GHz, 802.11n Draft 2.0, 802.11g/b, Built-in 4-port Gigabit Switch, with 3 detachable antennas	TP-Link	46.70
TD-W8901G	54Mb Wireless ADSL2+ Router - : ADSL2+ modem,4-port Ethernet router and wireless G access point. IP/MAC Filter, Application Filter and URL Filter	TP-Link	30.00
TD-W8910G	54Mbps Wireless ADSL 2+ Router, eXtender Range, Annex A, 4xLAN	TP-Link	32.50
TD-W8920G	108Mbps Wireless ADSL 2+ Router, eXtender Range, Annex A, 4xLAN	TP-Link	35.00
TD-W8101G	1-port 54M Wireless ADSL2+ router, Ralink + Trendchip chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, 2.4GHz, 802.11g/b, detachable Antenna	TP-Link	27.00
TL-MR3420	300Mbps Wireless N / 3G Router, Compatible with UMTS/HSPA/EVDO USB modem, 3G/WAN failover, 2T2R, 802.11n/g/b, 2 detachable antennas	TP-Link	32.50
TD-W8950ND	150Mbps Wireless Lite N ADSL2+ Modem Router, Broadcom+Atheros chipset, ADSL/ADSL2/ADSL2+, Annex A, with ADSL splitter, compatible with 802.11n/g/b, 1 detachable antenna	TP-Link	35.90

Model No.	Description	Manufacture	EURO
TD-8610	External ADSL2+ modem, ADSL/ADSL2/ADSL2+ AnnexA, Plastic case	TP-Link	13.50
TD-8810	External ADSL2+ modem with bridge&NAT router, ADSL/ADSL2/ADSL2+ AnnexA. Plastic case	TP-Link	14.50
TD-8811	External ADSL2+ modem + 1 port USB with bridge&NAT router, ADSL/ADSL2/ADSL2+ AnnexA. Plastic case	TP-Link	15.60
TD-8816	External ADSL2+ modem with bridge&NAT router, ADSL/ADSL2/ADSL2+ AnnexA. Plastic case	TP-Link	13.80
TD-8840	4 port LAN ADSL2+ router with bridge&NAT router ADSL/ADSL2/ADSL2+ Annex A plastic case	TP-Link	18.00
TD-8841	4 port LAN ADSL2+ router + 1 USB port with bridge&NAT router ADSL/ADSL2/ADSL2+ Annex A plastic case	TP-Link	17.00
TM-EC5658V	56Kbps external data/fax/voice modem, Ambient (Intel) chipset, support V.92, full-duplex, plastic case, RS 232 connector	TP-Link	19.92

Ethernet LAN Card, 10/100Mbps, 1 UTP port :			
TF-3239DL	10/100M, PCI Card Realteck RTL8139D chipset, RJ45 port	TP-Link	2.50
TF-3200	10/100M, PCI Card IC PLUS IP100A chipset RJ45	TP-Link	2.50
TG-3269	32bit Gigabit PCI Network Interface Card, RealTek RTL8169 chipset, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDX	TP-Link	4.50
TG3201	32bit Gigabit PCI Network Interface Card, Marwell M88E8001 chipset, 10/100/1000Mbps Auto-Negotiation RJ45 port, Auto MDI/MDX	TP-Link	4.00
TM-IP5600	FAX/ modem PCI = 56Kbps internal data/fax modem, Motorola chipset, PCI interface	TP-Link	4.30
TF-5239	10/100M 32bit CardBus Network Interface Card, RJ45 port	TP-Link	5.80

Powerline Ethernet Adapters			
TL-PA201	200Mbps Powerline Ethernet Adapter, Plug (EU/UK/AU), Homeplug Turbo, S	TP-Link	37.9
TL-PA101	85Mbps Powerline Ethernet Adapter, Plug (EU/UK/AU), Homeplug Turbo, Sir	TP-Link	26.80

Ethernet Switch 10/100Mbps			
TL-SF1005D	5-port Mini switch	TP-Link	5.50
RP-1708K	8-P Nway Switch , w/ switching power adaptor	Repotec	10.00
TL-SF1008D	8-port Mini switch (8 UTP ports +uplink)	TP-Link	7.50
TL-SF1008DS	8-port Mini switch (8 UTP ports +uplink) w/Switching power supply	TP-Link	9.50
TL-SF1008P	8-port 10/100M PoE Switch, 8 10/100M RJ45 ports including 4 PoE ports, steel case	TP-Link	46.20
TL-SF1016	16-port switch, steel case, intern-power,170-240V, uplink, rack19"	TP-Link	23.50
TL-SF1016D	16-port Mini switch, plastic case, w/Linear power supply	TP-Link	16.00
TL-SF1016DS	16-port Mini switch, plastic case, w/Switching power supply	TP-Link	25.00
TL-SF1024	24-port switch, steel case, intern-power,110-260V, uplink, rack19"	TP-Link	32.50
TL-SF1048	48-port switch, steel case, intern-power,110-260V, uplink, rack19"	TP-Link	70.00

KVM Switch			
KVM 800	8 port KVM Switch	Planet	163.00
KVM 400	4 port KVM Switch	Planet	28.00
KVM-CB-3A	KVM Cables	Planet	6.40
KVM E 500	Cat5e cable use, KVM extender	Planet	125.00
KVM 202	2 port KVM switch – integrated cables	Planet	25.00

Print Servers			
TL-PS110U	Single USB 2.0 port fast Etherner Print Server, Internet Printing protocol	TP-Link	24.00
TL-PS210U	Single USB 2.0 port fast Etherner Print Server, Internet Printing protocol, MFP including print, scan, fax, copy&storage	TP-Link	29.90
TL-PS310U	Single USB2.0 port MFP Print and Storage server, compatible with most of MFP(Multi-function printer) and USB storage devices, supports 4-port USB	TP-Link	26.90
TL-WPS510U	Wireless Print Server, single USB2.0 port, chip Atheros 2.4Ghz, 802.11b/g, detachable antenna	TP-Link	37.50

Smart Ethernet switch, VLAN, Trunk & Fiber(s) slot for Multi Mode or Single Mode module			
TL-SL1109	8 ports 10/100M, 1 fixed 10/100/1000 copper port, 19" rack mountable steel case	TP-link	22.50

Model No.	Description	manufacture	EURO
TL-SL1210	8+2G Gigabit Switch, 8 10/100M RJ45 ports, 2 Fixed 10/100/1000M RJ45 ports, 1U 13-inch rack-mountable steel case	TP-Link	24.50
TL-SL1117	16+1G Gigabit Switch, 16 10/100M RJ45 ports, 1 Fixed 10/100/1000M RJ45 ports, 1U 19-inch rack-mountable steel case	TP-Link	32.00
TL-SL1226	24+2G Gigabit Ethernet Switch, 24 10/100 Mbps RJ45 port, 2 10/100/1000Mbps RJ45 ports	TP-Link	50.00
RP-800W	8-P Fast Ethernet Web Smart Switch, Supports Auto-negotiation on each TP port, Provides Store-and-Forward forwarding scheme, Supports 8 Groups VLAN and two queues plus TOS for multi-media application	Repotec	20.00
TL-SL2210WEB	8 port 10/100M, 1 10/100/1000 copper port, 1 SFP module extension slot, Port/Tag-based VLAN, Mac address Binding, Priority, Port Mirror/Trunking,	TP-Link	43.00
TL-SL2218WEB	16 port 10/100M, 1 port 10/100/1000M, 1 SFP expansion slot, Port/Tag-VLAN, MAC address binding, Priority, Port Mirror/Trunking, VCT, Web	TP-Link	55.00
TL-SL2428WEB	24 ports 10/100M, 2 ports 10/100/1000 copper, 2 SFP expansion slots, Port/Tag-based VLAN, MACAddress Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	TP-link	87.00
TL-SL2452WEB	48 ports 10/100M, 2 ports 10/100/1000 copper, 2 SFP expansion slots, Port/Tag-based VLAN, MACAddress Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	TP-Link	130.00
TL-SL3428	24 ports 10/100M, 2 ports 10/100/1000 copper, 2 SFP expansion slots, Port/Tag-based VLAN, MACAddress Binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration, SMNP, MIB, Spanning Tree protocol	TP-Link	150.00
TL-SL5428E	24x10/100 + 4 Gigabit ports fully Managed Switch, with 2 combo SFP slots, Supports Port/Tag-based/voice/MAC-based/Protocol-Based VLAN, GVRP, MVR, STP/RSTP/MSTP, IGMP V1/V2/V3 Snooping, COS, DSCP, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, IP Clustering, Port Mirroring, IP Source Guard, SSL, SSH, CLI, SNMP, RMON	TP-link	170.00
TL-SL3452	48 10/100 ports + 2 Gigabit ports + 2 SFP ports. SNMP & WEB manages VLAN, Trunk, IGMP Snooping, priority and security,etc Complies with IEEE 802.1d, 802.1x, 802.1Q, 802.1p	TP-Link	230.00

GIGABIT SWITCH			
TL-SG1005D	Switch Gigabit,5Port*1000T, internal switching power supply, plastic case, mini	TP-Link	19.00
TL-SG1008D	Switch Gigabit,8Port*1000T, internal switching power supply, plastic case, mini	TP-Link	25.00
TL-SG1008	Switch Gigabit,8Port*1000T, internal switching power supply, metal case 19" rackmount	TP-Link	30.00
TL-SG1016	Switch Gigabit,16Port*1000T, internal switching power supply, 19"	TP-Link	62.00
TL-SG1024	Switch Gigabit,24Port*1000T, internal switching power supply, 19"	TP-Link	85.00
TL-SG2224WEB	24 10/100/1000Mbps UTP/STP RJ45 ports with auto-MDI/MDIX and 2 SFP ports, Web management, VLAN, TRUNK	TP-Link	195.00
TL-SG2216WEB	16x10/100/1000 ports + 2xSFP port, Web management, Port-Based VLAN and IEEE 802.1Q Tag VLAN, Supports Static MAC address and filtering MAC address management	TP-Link	135.00
TL-SG2109WEB	Switch Gigabit 8 10/100/1000M RJ45 ports, 1 SFP extension slot, Port/Tag-based VLAN, MAC address binding, Priority, Port Mirror/Trunking, VCT, Web-based configuration	TP-Link	60.00
TL-SG3109WEB	Switch Gigabit, 8 10/100/1000Mbps, RJ45 ports, 1 SFP extension slot, Port/Tag-based VLAN address binding, Port Mirror/Trunking, SNMP, MIB, VCT, Web-based Configuration.	TP-Link	110.00
TL-SG5426	26-port Pure-Gigabit fully Managed Switch. 26 10/100/1000M RJ45 ports including 4 SFP/RJ45 combo ports, Supports Port/Tag-based/Private/MAC/Protocol-based VLAN, STP/RSTP/MSTP, IGMP V1/V2 Snooping, L2/L3/L4Traffic Classification/ Priority Management, Rate Limiting, 802.1x, IEEE 802.3ad, L2/3/4 ACL, IP Clustering, Port Mirroring, IP Source Guard, SSL, SSH, CLI, SNMP, RMON	TP-Link	325.00